

Powering Color Performance... Company-wide.



Document Solutions





Delivering Better, Faster, More Cost-Effective Performance

Designed to provide you with high-quality, cost-efficient versatility, the TASKalfa 3550ci incorporates robust productivity at 35 ppm black and color, flexible product configurations and vibrant image quality to handle day-to-day document needs with top performing reliability. Keep shorter runs of production-quality printed pieces in-house and reduce outsourcing costs with exceptional color technology and professional finishing options. An EFI Fiery® Controller option enables you to incorporate the more advanced color management you may require, while integrated business applications will provide added power and capabilities to help simplify your document workflow.

Kyocera's award-winning ultra-reliability and unique long-life technology ensure superior performance, proven productivity and maximum efficiency. When it comes to document imaging innovation and quality you can rely on, the TASKalfa 3550ci delivers.

Enhanced Features Drive Exceptional Functionality

The TASKalfa 3550ci is strong on features and configurations, offering the flexibility to scale your MFP to the specific needs of your office. It's all about feature-rich design with a focus on value and exceptional color functionality.

- An integrated 10.2" Color Touch-screen Control Panel offers outstanding clarity and easy viewing. Intuitive prompts, on-board help guidance and accessibility display, make programming your jobs from the device quick and effortless.
- The long life technology and 'class leading' drum yields deliver extended preventive maintenance intervals and maximize device "uptime". This adds up to ultra-reliable operation and a low total cost of ownership.
- Standard connectivity features including standard Gigabit Ethernet, offer seamless integration within virtually any network environment or platform.
- The ability to choose between two optional **Document Processors** enables super fast scan speeds of up to 100 images per minute, and the flexibility to configure the TASKalfa 3550ci to meet your specific needs.
- The optional 1,000-sheet and 4,000-sheet finishers provide the professional touch your output deserves, and lets you efficiently handle shorter production runs in-house, optimizing time and minimizing costs.
- A standard **USB Host Interface** provides convenient print-from or scan-to capabilities for today's 'on the go' workforce in XPS, PDF, JPEG and TIFF.
- Kyocera Command Center RX, the MFP's embedded web home page, gives you the remote access you need to check device status, establish system settings, or access stored Document Box files from your desktop.
- Fast processing speeds of 600 MHz, with standard 2 GB of RAM and 160 GB of Hard Disk Drive space support robust all-in-one productivity.
- **Impressive toner yields** of 25,000 pages for black and 15,000 pages for each color, allow you to run long print jobs with maximum quality and productivity, while minimizing interruption.

Only From Kyocera

KYOCERA Document Solutions is a global leader in the digital imaging industry, with an award-winning line of TASKalfa multifunctional systems and ECOSYS laser printers, products that consistently set the standard for high performance, superior image quality, ease-of-use and durability. Along with a full complement of advanced business applications and networking solutions, Kyocera's robust product line supports your need for maximum productivity at minimal total cost.

Kyocera continually strives to raise the bar for excellence in both products and service for exceptional results you and your business can count on.

Keeping the Future Green

Kyocera is committed to pursuing a harmonious developing office solutions with environmentally features, without compromising your productivity.



The Power to Take Control of Everyday Tasks and Keep Information Moving

Information is your most important business asset, and you need a 'no holds barred' document imaging system to keep it flowing seamlessly. The TASKalfa 3550ci raises the bar on core functionality with unparalleled efficiency:

- Robust print and copy capabilities power your communications via robust paper handling up to 12" x 47" and 110 lb cover, plus a remarkable 7,150 sheet maximum paper capacity for long print runs with minimal interruptions.
- Secure Document Box lets you keep frequently used documents close at hand for hassle free printing, secure file sharing and pin-based Private Print.
- Pre-program and store commonly used copy, scan and print settings at the control panel and the KX Driver to simplify your daily tasks.
- Optional Super G3, LAN fax and dual fax capability adds versatility while leveraging your investment in an MFP.

Color and Advanced Finishing Brings Professional Output In-House

The TASKalfa 3550ci is the smart choice for businesses who sometimes need to add color to their daily business documents as well as those occasional high-impact pieces. Easily optimize color with precision through the KX Driver's Imaging Tab. Then add the finishing touch with simple options such as staple/hole punch, or more advanced options including booklets and tri-folds.

For more graphic-intensive workflows, an optional Fiery® Controller lets you elevate your color to the next level.



Enhanced MFP Performance... Powered by HyPAS®

Enhance your TASKalfa 3550ci's capability with unique and scalable business applications, powered by HyPAS—Kyocera's powerful software development platform. These applications, developed by Kyocera or by our third-party solution partners, allow your business to further optimize your TASKalfa MFPs' "out-of-the-box" performance. Kyocera applications transform your MFP into a powerful resource that suits your existing document imaging and workflow needs today, as well as delivers the flexibility you need for tomorrow.

Kyocera's expanding suite of business applications include:


- KYOCERA Mobile Print Simply and conveniently print files, web pages, and images using your smartphone or tablet.
- OpenText RightFax Connector Scan and send documents to the RightFax server directly from TASKalfa MFPs for full fax server integration.
- SharePoint Connector Microsoft SharePoint users can scan documents into their SharePoint folder and libraries to search/ print directly from the TASKalfa MFP control panel.
- Card Authentication Authenticate, Authorize and Track individual MFP usage with the simple swipe of an HID-card.
- DMS Link Connect your TASKalfa MFP to most popular document management systems for document capture and routing.


Visit www.kyoceradocumentsolutions.com to learn more about additional business applications designed to fit your essential needs.

Which Configuration is Right for You?

Truly designed with you in mind, the TASKalfa 3550ci brings configuration flexibility to the workplace, allowing

you to customize the MFP to your specific paper handling needs.









Shown with optional 175 sheet DSDP and 500 x 2 sheet paper trays



Shown with optional 175 sheet DSDP 1,500 x 2 sheet paper trays and 1,000 sheet finisher



Shown with optional 175 sheet DSDP, 500 x 2 sheet paper trays and 4,000 sheet finisher



Newly designed, easy-to-use large color touch screen control panel



Hybrid Platform for



Basic Specifications Coolinguration	m, Ledger: 17 ppm, 12" x 18": 17 ppm (print only) ass Color; Print: 6.2 Seconds or Less Black, 8 Seconds or Less Color it depth t to 12" x 18", 16 lb Bond - 120 lb Index (60 - 220gsm) 47" Banner/Single Sheet lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts PF-740, PF-770: 8.5" x 11"; pto 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond - 110 lb Cover (60 - 300gsm) Cardstock, Envelopes coptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ee, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 5 TP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 - 400% in 1 step increments x, Fax Box (with optional Fax System) secor / 100 Sheets Sheets uplex: 16 lb - 32 lb Bond tuplex: 16 lb - 32 lb Bond tuplex: 16 lb Bond - 120 lb Index to Bond (90gsm)) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Pages Per Minute	m, Ledger: 17 ppm, 12" x 18": 17 ppm (print only) ass Color; Print: 6.2 Seconds or Less Black, 8 Seconds or Less Color it depth to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm) 47" Banner/Single Sheet dection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts sef-740, PF-770: 8.5" x 11"; Jp to 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) ardstock, Envelopes coptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ecc, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC imnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) ssor / 100 Sheets Sheets iplex: 16 lb – 32 lb Bond uplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm))
Wimmun 10	lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) its PF-740, PF-770; 8.5" x 11"; Ip to 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ee, SSL, WSD Print (Imin Driver, Network Fax Driver, PPD for MAC (Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy stios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) EXECUTE: The State of the System V) TX, Broadcasting, Fax Box, Dual Fax Debod (90gsm)) TX, Broadcasting, Fax Box, Dual Fax Debod (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
First Page Out	it depth It to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm) 47" Banner/Single Sheet lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts PF-740, PF-770; 8.5" x 11"; Ip to 12" x 47" Banner (Single Sheet) IMPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print Hinl Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) Besor / 100 Sheets Sheets Inplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index D Bond (90gsm)) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Resolutions	it depth It to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm) 47" Banner/Single Sheet lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts PF-740, PF-770; 8.5" x 11"; Jp to 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp suild, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sssor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond luplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Memory / Hard Disk Drive 2 GB RAM Standard / 160 GB HDD	t to 12" x 18", 16 lb Bond - 120 lb Index (60 – 220gsm) 47" Banner/Single Sheet lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts PF-740, PF-770: 8.5" x 11"; pto 12" x 47" Banner (Single Sheet) iMPT: 16 lb Bond - 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC imnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) ussor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond luplex: 16 lb Bond – 120 lb Index D) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Standard Output Tray	lection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) its PF-740, PF-770; 8.5" x 11"; Jp to 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 app 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print dini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) ssor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond Duplex: 16 lb Bond – 120 lb Index D) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Standard Output Tray	dection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts "PF-740, PF-770: 8.5" x 11"; "Jp to 12" x 47" Banner (Single Sheet) "MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) "Cardstock, Envelopes "Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion "Qual NIC); Wireless LAN IB-51 ec, SSL, WSD Print "Ini Driver, Network Fax Driver, PPD for MAC "Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A "O dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) "O dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) "FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" "Ecopy, Border Erase, Split Copy, "m Overlay, XY Zoom, Prevent Bleed Through, Stamp "Build, Shortcut Keys, Repeat Copy "atios, 25 – 400% in 1 step increments "x, Fax Box (with optional Fax System) "ssor / 100 Sheets Sheets "plex: 16 lb – 32 lb Bond "puplex: 16 lb Bond – 120 lb Index "D) (requires Fax System V) "TX, Broadcasting, Fax Box, Dual Fax "D Bond (90gsm))
Electrical Requirements	ection/Switching et Trays (PF-740); 3,000 Sheet Large Capacity Tray (PF-770) ts PF-740, PF-770; 8.5" x 11"; Jp to 12" x 47" Banner (Single Sheet) IMPT: 16 lb Bond - 110 lb Cover (60 - 300gsm) Cardstock, Envelopes ; Optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC IMnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 - 400% in 1 step increments x, Fax Box (with optional Fax System) Person 100 Sheets Sheets Iplex: 16 lb - 32 lb Bond Puplex: 16 lb Bond - 120 lb Index De Bond (90gsm)) TX, Broadcasting, Fax Box, Dual Fax De Bond (90gsm))
Dimensions / Weight	et Trays (PF-740; 3,000 Sheet Large Capacity Tray (PF-770) ts **PF-740, PF-770; 8.5" x 11"; **Jp to 12" x 47" Banner (Single Sheet) **MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) **Lardstock, Envelopes **Goptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap **2.0, 2 USB Host Interfaces, 2 Expansion **Dual NIC); Wireless LAN IB-51 **ec, SSL, WSD Print **Inini Driver, Network Fax Driver, PPD for MAC **Inini Driver, N
Max Monthly Duty Cycle	et Trays (PF-740; 3,000 Sheet Large Capacity Tray (PF-770) ts **PF-740, PF-770; 8.5" x 11"; **Jp to 12" x 47" Banner (Single Sheet) **MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) **Lardstock, Envelopes **Goptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap **2.0, 2 USB Host Interfaces, 2 Expansion **Dual NIC); Wireless LAN IB-51 **ec, SSL, WSD Print **Inini Driver, Network Fax Driver, PPD for MAC **Inini Driver, N
Paper Supply Standard Paper Sources Dul 500 Sheet Trays, 150 Sheet MPT; Auto Selection/Switching Optional Paper Sources Dul 500 Sheet Trays (PF-730), Dual 1,500 Sheet Trays (PF-740); 3,000 Sheet Large Capacity Tray Paper Capacity Standard: 1,150 Sheets Manyimum: 7,150 Sheet Sheets Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 9,700 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 1,900 F-700; 6,51′ x 11′ x 11′ s 10′ sheets Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 1,900 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 1,900 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′; PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′ PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,55′ - 12′ x 18′ PF-740; 3,000 Sheet Large Capacity Tray Paper Weight Trays 1, 2 and PF-730; 5,51′ 8,51′ 11′ 2 x 11′ 5,50′ 8,50′ 11′ 2 x 11	et Trays (PF-740; 3,000 Sheet Large Capacity Tray (PF-770) ts **PF-740, PF-770; 8.5" x 11"; **Jp to 12" x 47" Banner (Single Sheet) **MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) **Lardstock, Envelopes **Goptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap **2.0, 2 USB Host Interfaces, 2 Expansion **Dual NIC); Wireless LAN IB-51 **ec, SSL, WSD Print **Inini Driver, Network Fax Driver, PPD for MAC **Inini Driver, N
Standard Paper Sources Dual 500 Sheet Trays, 15-03, 160 Sheet May (PF-740); 3.000 Sheet Large Capacity Tray Paper Capacity Standard: 1,150 Sheets, Maximum: 7,150 Sheets Trays (PF-740); 3.000 Sheet Large Capacity Tray Standard: 1,150 Sheets, Maximum: 7,150 Sheets Trays (PF-740); 3.000 Sheet Large Capacity Tray Standard: 1,150 Sheets, Maximum: 7,150 Sheets Trays (PF-740); 3.000 Sheet Large Capacity Tray Standard: 1,150 Sheets, Maximum: 7,150 Sheets Trays (PF-740); 3.000 Sheet Large Capacity Tray Standard: 1,150 Sheets, Maximum: 7,150 Sheets Trays (PF-740); 3.000 Sheet Sheets, Up to 12° x 47° Sandard: 11° Sheets, Maximum: 7,150 Sheets Trays, 150 Sheets Sheets, Up to 12° x 47° Sandard: 11° Sheets, Maximum: 800 Sheets, Maximum: 800 Sheets, 10° S	et Trays (PF-740; 3,000 Sheet Large Capacity Tray (PF-770) ts **PF-740, PF-770; 8.5" x 11"; **Jp to 12" x 47" Banner (Single Sheet) **MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) **Lardstock, Envelopes **Goptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap **2.0, 2 USB Host Interfaces, 2 Expansion **Dual NIC); Wireless LAN IB-51 **ec, SSL, WSD Print **Inini Driver, Network Fax Driver, PPD for MAC **Inini Driver, N
Optional Paper Sources	et Trays (PF-740; 3,000 Sheet Large Capacity Tray (PF-770) ts **PF-740, PF-770; 8.5" x 11"; **Jp to 12" x 47" Banner (Single Sheet) **MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) **Lardstock, Envelopes **Goptional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap **2.0, 2 USB Host Interfaces, 2 Expansion **Dual NIC); Wireless LAN IB-51 **ec, SSL, WSD Print **Inini Driver, Network Fax Driver, PPD for MAC **Inini Driver, N
Paper Capacity	optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 app. 2.0, 2 USB Host Interfaces, 2 Expansion app. 3.0, 3.0, 3.0, 4.0, 4.0, 4.0, 4.0, 4.0, 4.0, 4.0, 4
Paper Size Trays 1, 2 and PF-730, 5.5' x 8.5' - 12' x 18'; PF-740, PF-770, 8.5' x 11'; MPT-55' x 8.5' - 12' x 18'; PF-740, PF-770, 8.5' x 11'; MPT-55' x 8.5' - 12' x 18'; (Mutiple Sheets), Up to 12' x 47' Banner (Single Sheet) Trays: 16 lb Bond - 120 lb index (60 - 220gen); MPT: 16 lb Bond - 110 lb Cover (60 - 300gsm) Input Materials Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes Print Specifications Bild PowerPC 750CL / 600 MHz PRISCPIBLE / PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (6c, XL), KPDL3 (PS3), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LO-8: Fonts PRESCPIBLE, PCIL6 (FS6), XRS, PCIL6 (FS6), XRS	PF-740, PF-770: 8.5" x 11"; Jp to 12" x 47" Banner (Single Sheet) i MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print dini Driver, Network Fax Driver, PPD for MAC Met Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments
MPT. 5.5 'x 8.5 ' - 12' x 18' (Multiple Sheets): Up to 12' x 47' Banner (Single Sheet) Paper Weight Trays: 16 Bond - 120 in index (60 - 200gm); MPT. 16 ib Bond - 120 ib Cover (60 - 300gsm) Input Materials Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes Print Specifications	Jp to 12" x 47" Banner (Single Sheet) MPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 app 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print dini Driver, Network Fax Driver, PPD for MAC Met Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond puplex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index 17 (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Paper Weight Injust Materials Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes Print Specifications Standard Controller PDLs / Emulations PD	iMPT: 16 lb Bond – 110 lb Cover (60 – 300gsm) Cardstock, Envelopes ; Optional: UG–34 lBM ProPrinter, Diablo 630, LQ-850 app 2.0, 2 USB Host Interfaces, 2 Expansion Could NIC); Wireless LAN IB-51 ec, SSL, WSD Print flini Driver, Network Fax Driver, PPD for MAC Could Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A O dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) O dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sesor / 100 Sheets Sheets iplex: 16 lb – 32 lb Bond Cuplex: 16 lb Bond – 120 lb Index Dept. 16 lb Bond – 120 lb Index Dept. 16 lb Bond – 120 lb Index Dept. 17 (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax Dept. 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Input Materials Bond Paper, Recycled Paper, Transparencies, Cardstock, Envelopes Print Specifications Standard Controller PRESCRIBE, PCLB (6x, DL, KPDLB, SPS), XPS; Optional: UG-94 IBM ProPrinter, Diablo 630, LQ-8: 136 KPDL3, 93 PCL6, 8 Windows Vista, 1 Bitmap Windows OS Compatibility Novell OS Compatibility Novell No Compatibility Novel No Compatibility Novel No Compatibility Novel No Compatibility Sun OS 4.1 x; Solaris 2.x; AlX; HP-UX (LPR) Interfaces Standard: 10/100/1000Base1X, Hi-5peed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000Base1X (Hi-50 for Dual NIC); Wireless Ab III-51 Network Print and Supported Protocols TOP/IP, IPX/SPX, Appletials, NetfEbul, 1Py6, IPsec, SSL, WSD Print KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC Utilities Scan Besolution Color and Black & White Scanner Scan Resolution 200, 300, 400, 600 dp. PESCRIBE, PDE Interest Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX Scan Specifications Color and Black & White Scanner Scan Resolution 200, 300, 400, 600 dp. PP Extension High Compression PDE, Encrypted PDE Scan Speeds DP-770: Simplex: 65 ipm BW, 65 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 65 ipm BW, 65 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 65 ipm BW, 70 ipm BW, 70 ipm Color (300 dp); DP-771: Simplex: 65 ipm BW, 70 ipm BW, 70 ipm Color (300 dp); DP-771: Simplex: 65 ipm BW, 70 ipm BW, 70 ipm Color (300 dp); DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 65 ipm BW, 65 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dp); Duplex: 39 ipm BW, 39 ipm Color (300 dp); DP-771: Simplex: 70 ipm	Cardstock, Envelopes ; Optional: UG-34 IBM ProPrinter, Diablo 630, LQ-850 ap 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print dini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond Duplex: 16 lb Bond – 120 lb Index D) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Print Specifications	; Optional: UG–34 IBM ProPrinter, Diablo 630, LQ-850 app 2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print dini Driver, Network Fax Driver, PPD for MAC (Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sssor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index 1) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax 10 Bond (90gsm))
Standard Controller	2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11 x 17" 12 e Copy, Border Erase, Split Copy, 13 m Overlay, XY Zoom, Prevent Bleed Through, Stamp 13 Build, Shortcut Keys, Repeat Copy 14 atios, 25 – 400% in 1 step increments 15 x, Fax Box (with optional Fax System) 16 ssor / 100 Sheets 16 lb – 32 lb Bond 17 puplex: 16 lb Bond – 120 lb Index 18 puplex: 16 lb Bond – 120 lb Index 19 (requires Fax System V) 17 TX, Broadcasting, Fax Box, Dual Fax 19 Bond (90gsm))
PRESCRIBE, PCL6 [5c, XL), KPDL3 (PSS), XPS; Optional: UG-34 IBM ProPrinter, Diablo 630, LG-8: Fonts	2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11 x 17" 12 e Copy, Border Erase, Split Copy, 13 m Overlay, XY Zoom, Prevent Bleed Through, Stamp 13 Build, Shortcut Keys, Repeat Copy 14 atios, 25 – 400% in 1 step increments 15 x, Fax Box (with optional Fax System) 16 ssor / 100 Sheets 17 Sheets 18 plex: 16 lb – 32 lb Bond 19 puplex: 16 lb Bond – 120 lb Index 19 (requires Fax System V) 17 TX, Broadcasting, Fax Box, Dual Fax 19 Bond (90gsm)) 18 x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Mindows OS Compatibility	2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ee, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11 x 17" 12 e Copy, Border Erase, Split Copy, 13 m Overlay, XY Zoom, Prevent Bleed Through, Stamp 13 Build, Shortcut Keys, Repeat Copy 14 atios, 25 – 400% in 1 step increments 15 x, Fax Box (with optional Fax System) 16 ssor / 100 Sheets 17 Sheets 18 plex: 16 lb – 32 lb Bond 19 puplex: 16 lb Bond – 120 lb Index 19 you (requires Fax System V) 17 TX, Broadcasting, Fax Box, Dual Fax 19 Bond (90gsm)) 18 x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Windows SP.2003/Nsta/2008/7 Novell OS Compatibility Mac OS 10.x MAC OS Machine Standard: 10/100/1000BaseTX, Hi-Speed LUSB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed LUSB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed LUSB 2.0, 2 USB Host Interfaces, 2 Expansion Network Print and Supported Protocols TOP/IF: IPS/SPX, AppleTalk, NetBELUI, IPA-6; IPSee, SSE, WSBO Print TOP/IF: IPS/SPX, AppleTalk, NetBELUI, IPA-6; IPSee, SSE, WSBO Print TOP/IF: IPS/SPX, AppleTalk, NetBELUI, IPA-6; IPSee, SSE, WSBO Print TOP/IF: IPSEE, PDF Direct Print, KMinet Viewer, Kyocera Command Center RX Color and Black & White Scanner Color and Black & White Scanner Scan Resolution	2.0, 2 USB Host Interfaces, 2 Expansion Dual NIC); Wireless LAN IB-51 ec, SSL, WSD Print Ifini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 10 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) 11 x 17" 12 e Copy, Border Erase, Split Copy, 13 m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy 13 atios, 25 – 400% in 1 step increments 14 x, Fax Box (with optional Fax System) 15 ssor / 100 Sheets 16 lb – 32 lb Bond 17 puplex: 16 lb Bond – 120 lb Index 18 puplex: 16 lb Bond – 120 lb Index 19 (requires Fax System V) 17 TX, Broadcasting, Fax Box, Dual Fax 19 Bond (90gsm))
Novell DS Compatibility MAC OS Compatibility MAC OS Compatibility Interfaces MAC OS Compatibility Interfaces Standard: 10/10/01/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/00/10/0008aestY, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Stots Optional: 10/10/01/00/10/00/	Dual NIC); Wireless LAN IB-51 lec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A O dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) O dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) lessor / 100 Sheets Sheets Inplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index Ly (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
MAC OS Compatibility Mac OS 10.x UNIX OS Compatibility Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR) Interfaces Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB Host Interfaces, 2 Expansion TOP/IR; IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsee, SSL, WSD Print TOP/IR; IPX/SPX, AppleTalk, NetBEUI, IPv6, IPsee, SSL, WSD Print PERSCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX Color and Black & White Scanner Scan Resolution 200, 300, 400, 600 dpt Interfaces BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A EVER Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A Ever Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A Ever Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A Extension BWT TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A Extension BWT TIFF, XPS, P	Dual NIC); Wireless LAN IB-51 lec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A O dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) O dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) lessor / 100 Sheets Sheets Inplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index Ly (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
UNIX OS Compatibility Sun OS 4.1.x; Solaris 2.x; AIX; HP-UX (LPR) Interfaces Standard: 10/10/01/000BaseTx (IR-50 for Dual NIC); Wireless LAN IR-51 Network Print and Supported Protocols Drivers KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX Scan Specifications Color and Black & White Scanner 200, 300, 400, 600 dpi Ille Formats BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PBW, 70 ipm Color (300 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) DP-771: Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) Connectivity / Supported Protocols Scanning Functions Conjula Size Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" TVAIN/WAD Driver TVAIN/WAD Priver TVAIN/WAD Pr	Dual NIC); Wireless LAN IB-51 lec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A O dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) O dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) lessor / 100 Sheets Sheets Inplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index Ly (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Interfaces Standard: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB htst Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB htst Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB htst Interfaces, 2 Expansion Slots Optional: 10/100/1000BaseTX, Hi-Speed USB 2.0, 2 USB AN IB-51 TCP/IP, IPX/SPX, AppleTaik, NetBEUI, IPV6, IPSec, SSL, WSD Print TVF Viver, Mini Driver, KX Driver, PVB (IPSec, SSL, WSD Print XX Driver, Mini Driver, KX Driver, Network Fax Driver, PPD for MAC Utilities PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX Color and Black & White Scanner Scan Besolution 200, 300, 400, 800 dp1 200, 300, 400, 800 dp1 PDF Extension BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG	Dual NIC); Wireless LAN IB-51 lec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC lini Driver, Network Fax Bipm Color (300 dpi) lini Duplex: 39 ipm BW, 39 ipm Color (300 dpi) lini Driver, Network Fax Bipm Color (300 dpi) lini Driver, Network Fax
Slots Optional: 10/100/1008aserX (iB-50 for Dual NIC); Wireless LAN IB-51 Network Print and Supported Protocols Drivers KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC Utilities PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX Scan Specifications Soan Resolution 200, 300, 400, 600 dpi File Formats BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF, Encrypted PDF Scan Speeds DP-770: Simplex: 56 jpm BW, 66 jpm Color (300 dpi); Duplex: 39 jpm BW, 39 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Duplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Duplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Duplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm Color (300 dpi) DP-771: Duplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 ipm BW, 80 jpm BW, 80 jpm Color (300 dpi) DP-771: Duplex: 70 jpm BW, 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 jpm BW, 80 jp	Dual NIC); Wireless LAN IB-51 lec, SSL, WSD Print lini Driver, Network Fax Driver, PPD for MAC lini Driver, Network Fax Bipm Color (300 dpi) lini Duplex: 39 ipm BW, 39 ipm Color (300 dpi) lini Driver, Network Fax Bipm Color (300 dpi) lini Driver, Network Fax
Network Print and Supported Protocols Drivers Drivers K Driver, KM Driver for XPS, XPS, Min Driver, KM Driver, KM Driver for XPS, XPS, Min Driver, KW Driver, KM Driver, KM Driver for XPS, XPS, Min Driver, KW Driver, KM	ec, SSL, WSD Print fini Driver, Network Fax Driver, PPD for MAC Mnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index 1) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Drivers KX Driver, Mini Driver, KX Driver for XPS, XPS Mini Driver, Network Fax Driver, PPD for MAC Willies PRESCRIBE, PDF Direct Print, KMnet Viewer, Kyocera Command Center RX Scan Specifications Color and Black & White Scanner 200, 300, 400, 600 dpi File Formats BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF. Encrypted PDF Scan Speeds DP-770: Simplex: 76 ipm BW, 70 ipm Color (300 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) DP-771: Simplex: 76 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) Connectivity / Supported Protocols Scanning Functions Scan Folder (SMB), Scan to e-Mail, Scan to FTR, Scan to USB, WSD Scan, TWAIN Scan Original Size Driver TWAIN/WIA Driver Copy Specifications Image Mode Text, Photo, Text/Photo, Auto, Manual, Map Continuous Copy 1 - 999 / Auto Reset to 1 Color Adjustment 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Optional DP-770 or DP-771 Five / Capacity DP-770: Simplex: 13 lb Bond - 100 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 100 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb - 32 lb Bond (DP-770) Expersing Automatic Document Processor / 175 Sheets Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Cash System (V) / Internet Fax Kit (A) (requires Fax System V) Cash Syst	Mini Driver, Network Fax Driver, PPD for MAC Minet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets iplex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Delitive PRESCRIBE, PDF Direct Print, KMnet Admin, KMnet Viewer, Kyocera Command Center RX	Amnet Viewer, Kyocera Command Center RX XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index D) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Scan Specifications Color and Black & White Scanner Scan Resolution 200, 300, 400, 600 dpi File Formats BW: TIFF, XPS, PDF, PDF/A; Color: TIFF, JPEG, XPS, PDF, PDF/A High Compression PDF, Encrypted PDF Scan Speeds DP-770: Simplex: 65 jmm BW, 65 jmm Color (300 dpi); Duplex: 39 jmm BW, 39 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 dpi) DP-771: Simplex: 70 jmm BW, 70 jmm Color (300 dpi); Duplex: 100 jmm BW, 80 jmm Color (300 jmm); Duplex: 100 jmm Color (300 jmm); Duplex: 100 jmm Color (300	XPS, PDF, PDF/A 0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond Duplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Scan Resolution 200, 300, 400, 600 dpi	0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets aplex: 16 lb – 32 lb Bond buplex: 16 lb Bond – 120 lb Index by (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
File Formats	0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets aplex: 16 lb – 32 lb Bond buplex: 16 lb Bond – 120 lb Index by (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
POF Extension	0 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) 0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets aplex: 16 lb – 32 lb Bond buplex: 16 lb Bond – 120 lb Index by (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
DP-770 Simplex: 65 ipm BW, 65 ipm Color (300 dpi); Duplex: 39 ipm BW, 39 ipm Color (300 dpi) DP-771 Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) DP-771 Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) DP-771 Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) DP-771 Simplex: 70 ipm BW, 70 ipm Color (300 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17"; Glass: up to 11" x 17" DP-772 Statement to 11" x 17"; Glass: up to 11" x 17"	0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm))
DP-771: Simplex: 70 jpm BW, 70 jpm Color (300 dpi); Duplex: 100 jpm BW, 80 jpm Color (300 dpi) Connectivity / Supported Protocols	0 dpi); Duplex: 100 ipm BW, 80 ipm Color (300 dpi) FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index b) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm))
Connectivity / Supported Protocols	FTP, Scan to USB, WSD Scan, TWAIN Scan to 11" x 17" e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) essor / 100 Sheets Sheets iplex: 16 lb – 32 lb Bond Duplex: 16 lb Bond – 120 lb Index
Scanning Functions Scan to Folder (SMB), Scan to e-Mail, Scan to FTP, Scan to USB, WSD Scan, TWAIN Scan Original Size Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" Twainwild Driver Copy Specifications Image Mode Continuous Copy 1 - 999 / Auto Reset to 1 Additional Features Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stam Job Management Job Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Box Document Processor Type / Capacity DP-770: Reversing Automatic Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) (DP-771) Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb Bond - 120 lb Index Document Speed / Modem Speed (DP-771) Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Gay Fax / MMR, MR, MH, JuBiG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Dpice (B) Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (G): 100 Sheets / 65 sheets (up to 24 lb Bond Ph-74 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 30 potents) Toptional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (G):	e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sssor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond huplex: 16 lb Bond – 120 lb Index a) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Original Šize Through DP: Statement to 11" x 17"; Glass: up to 11" x 17" TWAINWIA Driver Copy Specifications Image Mode Text, Photo, Text/Photo, Auto, Manual, Map Continuous Copy 1 - 999 / Auto Reset to 1 Additional Features Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stam J.000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-771: Dual Scan Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax Specifications Capacitility / Data Compression Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB MM Network Fax Driver Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" DP-770	e Copy, Border Erase, Split Copy, m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sssor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond huplex: 16 lb Bond – 120 lb Index a) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Driver Copy Specifications Image Mode Continuous Copy 1 - 999 / Auto Reset to 1 Additional Features Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stam Job Management 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals 5.5° x 8.5° - 11° x 17° Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb Bond - 120 lb Index (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax Specifications Fax System (V) Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression Transmission Speed / Modem Speed Fax Memory Driver And Modem Speed Approximately 3 seconds per page / 33.6 Kbps Standard: 12 MB; Maximum: 120 MB Transmission Speed / Modem Speed Fax Functions Dujex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Dptoral 1,000 Sheet Finisher Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Faper Size 5.5° x 8.5° - 12° x 18° DP-770 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets / 65 sheets (up to 24 lb Bond PH-74 2 and 3 Hole Punch Unit, Supports 8.5° x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (60 - 300gsm) Drivor Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (D): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	e Copy, Border Erase, Split Copy, rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets applex: 16 lb – 32 lb Bond applex: 16 lb Bond – 120 lb Index buplex: 16 lb Bond – 120 lb Index buplex: 16 lb Bond – 120 lb Index buplex: 16 lb Bond – 120 lb Index conditional Fax System V) TX, Broadcasting, Fax Box, Dual Fax buplex: 16 lb Gogsm))
Text, Photo, Text/Photo, Auto, Manual, Map	m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index a) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax a) Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Image Mode	m Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets uplex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index a) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax a) Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Continuous Copy Additional Features Positive/Negative Reverse, Mirror Image, Rotate Copy, Border Erase, Split Copy, Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stam Job Management 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 - 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) Acceptable Weights (Simplex / Duplex) DP-770: Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Eax System (V) / Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression Transmission Speed / Modem Speed Fax Memory Standard: 12 MB; Maximum: 120 MB Driver KM Network Fax Driver Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5,5° x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300gsm) Paper Size 5,5° x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond huplex: 16 lb Bond – 120 lb Index by (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Electronic Sort, Margin Shift, Page Number, Form Overlay, XY Zoom, Prevent Bleed Through, Stam Job Management 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression Gransmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB Driver Fax Functions Optional 1,000 Sheet Finisher Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size DF-770 Wain Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Ph-7A2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Ph-7A2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	rm Overlay, XY Zoom, Prevent Bleed Through, Stamp Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond puplex: 16 lb Bond – 120 lb Index a) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Job Management 1,000 Department Codes, Job Programs, Job Build, Shortcut Keys, Repeat Copy Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Document Box Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals S.5" x 8.5" - 11" x 17" Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond - 90 lb Index; Duplex: 16 lb - 32 lb Bond (DP-771) Simplex: 13 lb Bond - 120 lb Index; Duplex: 16 lb Bond - 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression Transmission Speed / Modem Speed Fax Memory Driver KM Network Fax Driver Bax Functions Dp-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size Dp-770 Stack / Staple Capacity Main Tray: 1,000 Sheets Finisher Fax Spetition Dp-770 Main Tray: 4,000 Sheet Finisher Dp-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Weight Bond - 110 lb Cover (60 - 300gsm)	Build, Shortcut Keys, Repeat Copy atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) assor / 100 Sheets Sheets applex: 16 lb – 32 lb Bond applex: 16 lb Bond – 120 lb Index buplex: 16 lb Bond – 120 lb Index buplex: 16 lb Bond – 120 lb Index buplex: 17 lb Bond – 120 lb Index buplex: 18 lb Bond – 120 lb Index buplex: 19 lb Bond – 120 lb Index buplex: 10 lb Bond – 120 lb Bond – 120 lb Index buplex: 10 lb Bond – 120
Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals 5.5" x 8.5" – 11" x 17" (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Compatibility / Data Compression Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Functions Optional 1,000 Sheet Finisher DF-770 Simplex: 1,000 Sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bon	atios, 25 – 400% in 1 step increments x, Fax Box (with optional Fax System) sssor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond buplex: 16 lb Bond – 120 lb Index c) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax b Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Color Adjustment One Touch, Hue, Auto Exposure, Sharpness Magnification / Zoom Full Size, 5 Reduction, 5 Enlargement Preset Ratios, 25 – 400% in 1 step increments Document Box Custom Box, Job Box, Removable Memory Box, Fax Box (with optional Fax System) Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals 5.5" x 8.5" – 11" x 17" (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Compatibility / Data Compression Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Functions Optional 1,000 Sheet Finisher DF-770 Simplex: 1,000 Sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fax Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bon	x, Fax Box (with optional Fax System) ssor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond suplex: 16 lb Bond – 120 lb Index stylex: 17 (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax splex: 10 Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Document Box Document Processor Optional DP-770 or DP-771 Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) Acceptable Weight Size Acceptable Siz	x, Fax Box (with optional Fax System) ssor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond suplex: 16 lb Bond – 120 lb Index stylex: 17 (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax splex: 10 Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Document Processor Type / Capacity DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals Acceptable Weights (Simplex / Duplex) Acceptable Weights (Simplex / 11" x 17" Acceptable Weights (Simplex / Duplex) Acceptable Weight (DP-770) Acceptable Weight	issor / 100 Sheets Sheets splex: 16 lb – 32 lb Bond suplex: 16 lb Bond – 120 lb Index splex: 17 splex: 18 s
DP-770: Reversing Automatic Document Processor / 100 Sheets DP-771: Dual Scan Document Processor / 175 Sheets	Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index I) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
DP-771: Dual Scan Document Processor / 175 Sheets Acceptable Originals 5.5" x 8.5" – 11" x 17" Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-70 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" – 12" x 18" Ph-74 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300) Optional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	Sheets Iplex: 16 lb – 32 lb Bond Puplex: 16 lb Bond – 120 lb Index I) (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Acceptable Originals 5.5" x 8.5" – 11" x 17" Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) Compatibility / Data Compression G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Edge Staple Position PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" – 12" x 18" Ph-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher DF-790 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond – 110 lb Cover (60 – 300gsm)	iplex: 16 lb – 32 lb Bond huplex: 16 lb Bond – 120 lb Index (requires Fax System V) TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Driver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300tonal 4,000 Sheets Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Acceptable Weights (Simplex / Duplex) (DP-770) Simplex: 13 lb Bond – 90 lb Index; Duplex: 16 lb – 32 lb Bond (DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications Fax System (V) / Internet Fax Kit (A) (requires Fax System V) G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Driver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300tonal 4,000 Sheets Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
(DP-771) Simplex: 13 lb Bond – 120 lb Index; Duplex: 16 lb Bond – 120 lb Index Fax Specifications G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB Driver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Optional 1,000 Sheet Finisher Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Edge Staple Position Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Bize Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Bize Paper Size 5.5" x 8.5" – 12" x 18" Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Fax Specifications Compatibility / Data Compression G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB Coriver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Optional 1,000 Sheet Finisher Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Stack / Staple Position Optional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Fray (TX, Broadcasting, Fax Box, Dual Fax D Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Compatibility / Data Compression G3 Fax / MMR, MR, MH, JBIG Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB Driver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Optional 1,000 Sheet Finisher Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) 16 lb Bond - 110 lb Cover (60 - 300gsm) 17	TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Transmission Speed / Modem Speed Approximately 3 seconds per page / 33.6 Kbps Fax Memory Standard: 12 MB; Maximum: 120 MB KM Network Fax Driver Eax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Dtiver Dtiver Eax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Fax Memory Standard: 12 MB; Maximum: 120 MB Driver KM Network Fax Driver Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300gsm) Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond - 110 lb Cover (60 - 300gsm) Paper Size Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	TX, Broadcasting, Fax Box, Dual Fax Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Driver KM Network Fax Driver Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax Optional 1,000 Sheet Finisher DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300) Optional 4,000 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	o Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Fax Functions Duplex TX/RX, Confidential RX/TX, F-Code RX/TX, Broadcasting, Fax Box, Dual Fax DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) 3 Positions: Top Left, Bottom Left, Center Bind DP-780 Stack / Staple Position PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300gsm) DP-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	o Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Optional 1,000 Sheet Finisher DF-770 Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300gsm) Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond - 120 lb Cover (60 - 300gsm) Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	o Bond (90gsm)) x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Stack / Staple Capacity Main Tray: 1,000 Sheets / 50 sheets (up to 24 lb Bond (90gsm)) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300 Sheet Finisher Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond - 120 lb Cover (60 - 300gsm) Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 11" x 17"; 13 lb Bond - 110 lb Cover (45 - 300	x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 300gsm)
Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm) Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	,
Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher Stack / Staple Capacity Paper Size Paper Weight 3 Positions: Top Left, Bottom Left, Center Bind PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	,
Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" – 11" x 17"; 13 lb Bond – 110 lb Cover (45 – 3 Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond – 12" x 18" Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	,
Optional 4,000 Sheet Finisher DF-790 Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bonder Size) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	,
Stack / Staple Capacity Main Tray: 4,000 Sheets; Sub Tray (B): 200 Sheets; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bonder Size) Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	; Sub Tray (C): 100 Sheets / 65 sheets (up to 24 lb Bond (90gsn
Paper Size 5.5" x 8.5" - 12" x 18" Paper Weight 16 lb Bond - 110 lb Cover (60 - 300gsm)	
Paper Weight 16 lb Bond – 110 lb Cover (60 – 300gsm)	
Edge Staple Position 3 Positions: Top Left, Bottom Left, Center Bind	
Optional Multi-bin Mailbox MT-730 Includes 7 Trays; Supports 16 lb Bond – 90 lb Index (60 – 163gsm)	– 90 lb Index (60 – 163gsm)
Stack Capacity per bin: 100 Sheets: 5.5" x 8.5", 8.5" x 11"; 50 Sheets: 8.5" x 14", 11" x 17"	
Optional Punch PH-7A 2 and 3 Hole Punch Unit, Supports 8.5" x 11" - 12" x 18"; 13 lb Bond - 110 lb Cover (45 - 3	
Optional Booklet Folder / Tri-fold Unit BF-730 Booklet Folder Supports 8.5" x 11", 8.5" x 14", 11" x 17"; 16 lb Bond – 24 lb Bond (60 – 90	
16 sheets; 25 lb Bond – 28 lb Bond (91 – 105gsm) 13 sheets; Fold booklet – no staple: 16 lb Bond – 24 lb	
(60 – 90gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 sheets; 32 lb Bond – 110 lb Cover (121 –	
1 sheet; Trifold: 16 lb Bond - 24 lb Bond (60 – 90gsm) 5 sheets; 25 lb Bond - 72 lb Index (91 – 120gsm)	1 - 120gsm) 3 sheets; 32 lb Bond - 110 lb Cover (121 - 256gsn
Additional Options Data Security Kit Provides Security Overwrite and Encryption for Print, Copy, and Scan, Optional States of the Copy of	0gsm) 5 sheets; 25 lb Bond – 72 lb Index (91 – 120gsm) 3 she









